

CATALOGUE

1 June 2022

- · Car Care
- · Diesel Additives
- Petrol Additives
- Cooling & Aircon
- General Cleaning
- Workshop
- · Oil System
- Lubricants
- Emergency & Travel

Leading Technology in Automotive Solutions SINCE 1939





(85-451) BRUSH OFF



A dry foam cleaner for all fabric and velour upholstery in the car and at home. The activated foam assists in lifting dirt to the surface for ease of removal. For carpets, roof linings, seats etc.

- Dry activated foam
- Clean car and household upholstery, carpet and fabrics
- Lifts dirt for easy removal


(85-46...) DASH



Dash for vinyl and rubber. Treats and protects the dashboard, plastic bumpers, trim, matt surfaces and trunk rubbers.

- Treats and cleans vinyl, plastic and rubber surfaces
- Anti-statio
- Leather or Lavender fragrance
- Fights odours

(85-452) LEATHER CARE CREME





- Contains natural lanolin
- Quick absorbing with no oily residue
- Provides UV protection to leather
- Repels water

(85-465) FRESH MUSK



An extra-long lasting deodorant air freshener which will fight odours while protecting and beautifying vinyl, rubber, dashboards, tyres, exterior trim and matt

- Long lasting fragrance
- Treats and cleans vinyl, plastic and rubber surfaces
- Provides UV protection

Also available in Cherry & Green Apple

(85-450) NANO CERAMIC COATING



This product provides long lasting weather protection in a simple, DIY application. The hydrophobic barrier helps prevent dust pick up even after multiple detergent washes thanks to the latest siloxane technology.

- Weather protection
- Easy DIY application
- Long lasting protection

Combines the benefits of polymerized


(85-439) DETAIL POLYMER SEALANT



Combines the benefits of polymerized silicone paint sealant with Carnuba wax. It is mildly abrasive to assist in polishing out swirl marks and minor scratches.

- Removes light scratches & blemishes
- Lasts up to one year before reapplication is needed


(85-356) SCRATCH REMOVER





- For surface scratches on paintwork
- Brightens up headlights
- Bumpers & bright work

(85-441) REVIVE






- Abrasive polish to restore faded paintwork
- Prepares paintwork for new polish by removing wax build up
- Removes stubborn dirt and scratches

(85-436) AUTOGLAZE

A premium non-abrasive cream polish for all paint finishes including high end metallic and clear coat paintwork.

- High quality finish
- Non-abrasive
- Carnuba wax protects and shine





10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858





(86-595) TOTAL ACTION TREATMENT



A strong chemical treatment for diesel engines which cleans the entire fuel system with a highly concentrated formula

- Triple action cleaning: before, during and after combustion
- Prevents clogging of the EGR Valve
- Our fastest acting product for complete cleaning of the entire fuel system

(86-557) DIESEL CLEAN BURN



Diesel Clean Burn regenerates severly clogged Diesel Paticulate Filters (DPF) within minutes, restoring power.

- Removes carbon & soot particles from the DPF
- Optimises combustion & lowers and lowers fuel consumption
- Maintains EGR valve by reducing carbon deposits

(86-542) INJECTOR & TURBO CLEANER



Increases engine performance, by removing gums, resins and carbon deposits from injector and turbo components, reducing turbo lag as well as black smoke.

- Restores injector spray pattern
- Reduces exhaust smoke emission
- Has a cleaning effect on the outlet side of the turbo

(86-386) DIESEL TREATMENT



Cleans Injectors, reduces soot emissions and keeps EGR and DPF systems clean with Cerium Technology, Biocide kills algae and micro-organisms.

- Cleans injectors
- Increases cetane number
- Removes carbon & soot particles from Turbo & DPF
- Kils harmful organisms in fuel tank

(86-546) DRY FUEL



A product suitable for diesel and petrol engines developed to absorb water in the fuel system.

- Absorbs water from the fuel tank
- Cleans fuel injectors
- Protects against rust and corrosion
- Prevents carburettor and fuel filter icing

(86-308) FUEL STABILISER



Is a petrol & diesel fuel additive to prevent fuel from degrading when a vehicle is not in use for extended periods of time, or when stored.

- Prevents fuel degradation and facilitates engine starting after periods of extended shut down
- Protects against rust and corrosion
- Prevents fuel tank and filter deposits







28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858



(86-308) FUEL STABILISER



A petrol & diesel fuel additive to prevent fuel from degrading when a vehicle is not in use for extended periods of time, or when stored.

- Prevents fuel degradation and facilitates engine starting after periods of extended shut down
- Protects against rust and corrosion
- Prevents fuel tank and filter deposits

(86-518) INJECTOR CLEANER



Dissolves high temperature petrol deposits on the injector tip as well as valves keeping them clean while providing lubrication.

- Strong solvent action removes injector deposits
- Reduces exhaust smoke caused by incomplete fuel combustion
- Removes water from fuel

(86-520) VALVE GUARD



An emission free, environmentally friendly, lead substitute solution to protect the older vehicle when running on unleaded petrol.

- Prevents valve seat recession
- Frees sticky valves
- Lubricates upper cylinder

(86-521) SPITFIRE FOR PETROL



Promotes complete petrol combustion while cleaning carbon deposits from the upper cylinder preventing preignition and engine run-on.

- Supports complete combustion
- Frees sticky piston rings
- Reduces exhaust emissions

(86-534) CATALYTIC CONVERTER



Optimizes the efficiency of the catalytic converter and Oxygen sensors by removing harmful deposits and restoring your vehicle's performance.

- Removes deposits and reduces emissions
- Ensures optimal working of the Cat and the oxygen sensors
- Prolongs the lifetime of the catalytic converter and oxygen sensors

(86-540) FUEL SYSTEM CLEANER



A complex blend of selected cleaning agents formulated to accumulatively clean the entire petrol fuel system.

- Complete fuel system cleaning from tank through to combustion.
- Dissolves petrol related deposits restoring efficient fuel delivery.
- Improves fuel consumption and keeps fuel jets clean.

(86-342) POWER BOOST



A catalytic converter safe, octane enhancing additive for high performance petrol engines with knock sensor technology.

- Increases the octane number (RON) up to 3 points.
- Provides upper cylinder lubrication up to 5000km.
- Reduces valve seat recession.

(86-546) DRY FUEL



A product suitable for diesel and petrol engines developed to absorb water in the fuel system.

- Absorbs water from the fuel tank
- Cleans fuel injectors
- Protects against rust and corrosion
- Prevents carburettor and fuel filter

(86-596) TOTAL ACTION TREATMENT



A strong chemical treatment for petrol engines which cleans the entire fuel system.

- Triple action cleaning: before, during and after combustion
- Reduces CO and HC emissions and exhaust smoke
- Improves combustion, engine performance and fuel economy



28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858




(85-321) ROOM SANITIZER FOGGER



Effectively kills bacteria and neutralises odours in homes, offices, vehicle cabins and more.

- Quick easy application
- Neutralises odours
- Sanitizes hard to reach areas
- One fogger treats up to 30m²

(86-360) COOLANT ANTIFREEZE





- Anti-cavitation
- Anti-calcareous and antifoaming
- Extended coolant life protection of the cooling system

(85-412) AIRCON TREATMENT



This product effectively kills 99.99% of viruses, moulds and bacteria; and neutralises odours that may be circulated by your vehicle air conditioning system.

- Quick easy application
- Removes odours and harmful bacteria
- Ideal for shared or fleet vehicles

(86-496) CYLINDER BLOCK SEAL



Repairs cracks in cylinder blocks in 30 min without dismantling. Repairs cracks and leaks in head gaskets (metal only).

- Forms a glass hard layer when exposed to air
- Stops small leaks/cracks in metal head gaskets
- Resists high pressures, water pressure and vibration

(86-511) RADIATOR FLUSH



Restores effective heat transfer maintaining the correct operating temperature which is essential to the longevity and efficient running of an engine

- Dissolves and loosens scale and rust build-up from radiator and cooling jacket
- Removes oil ingress from head gasket or oil cooler damage

(86-513) RADIATOR STOP LEAK



A unique blend of non-ferrous fibres and surface active agents which combine to plug hairline cracks and pinholes associated with cavitation pitting and corrosion.

- Effect emergency repairs to prevent loss of coolant
- Enables extended trips to be completed without costly repairs or time wasted
- Plugs holes up to 0.7mm

(86-514) ANTI-FREEZE



A concentrate designed to meet old and modern vehicle requirements made from the finest Euro spec glycols, anti-corrosion and anti-foam agents to provide superior protection.

- Protects cooling system from fouling
- Prevents corrosion
- Anti-foaming agent prevents cavitation and pitting
- Maintains correct operating temp

(86-515) CHILLY WILLY ANTIFREEZE



A pre-mixed high performance inorganic coolant /antifreeze package for old and modern vehicles.

- Protects cooling system from fouling
- Prevents corrosion
- Anti-foaming agent prevents cavitation and pitting

(86-733) AIR FRESHNER

For a long lasting, fresh and fragrant aroma that is suited to any environment.



Fragrances available:

- Lime, Black Ice, Asian Rain,
 Jasmine, Lavender and Strawberry
- Butterfly air freshner also available

28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777


Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858





(85-352) MAG WHEEL CLEANER

A highly effective cleaning formulation in an easy to use trigger container. Simply spray on and hose off.



- Quick acting
- Easy spray and rinse application

(85-358) WINDSCREEN WASH

Concentrated detergent additive for the windscreen water reservoir to remove stubborn dirt and insect residue from the windshield. 200ml treats 5L water.

- Easily removes dirt and bug remains
- Lubricates wiper blades reducing shudder and excessive wear
- Anti-streak formulation

(85-430) BIG RED

A great value every day car wash to keep your car looking like new in minutes. Just 30ml of Big Red mixes into 5L of water to produce a foamy wash.



- Great value
- Lather wash
- Add to hot or cold water
- One bottle provides 30 washes

(85-431) ENGINE CLEANER



Engine Cleaner & Degreaser is a Paraffinic solvent based degreaser for heavy duty cleaning of engine parts as well as exterior engine components.

- Effective on the heaviest grease
- Can be used in a high pressure sprayer
- Easy to use squirt bottle

(85-438) KWIK KWIK



A unique wax wash containing specialized wax which plates out on the paint to preserve polish and sealants.

- Carnuba wax shampoo
- Cleans shines and protects
- One cap treats 5L of hot or cold

(85-447) CLEEN GREEN



A highly concentrated cleaning agent which is suitable for most applications. Cleen Green is biodegradable and contains no ammonia or bleach.

- Cleans stubborn dirt and grime
- For household, automotive and workshop dirt

(85-359) CLEEN GREEN LAVENDER



A highly concentrated cleaning agent which is suitable for most applications. It is biodegradable and contains no ammonia or bleach. Lavender scented

- Cleans stubborn dirt and grime
- For household, automotive and workshop dirt
- Lavender scented

(85-446) CLEEN GREEN LEMON



A highly concentrated cleaning agent which is suitable for most applications. It is biodegradable and contains no ammonia or bleach. Lemon scented

- Cleans stubborn dirt and grime
- For household, automotive and workshop dirt
- Lavender scented

(85-434) BLACK BACK





- Spreads evenly and consistently

28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858





(86-538) CARB CLEANER



A powerful solvent which enables you to clean the carburettors without dismantling. Simply spray it into the float chamber vent to clean the inside and down the throat for rapid results.

- Cleans without dismantling
- Rapidly dissolves gums, resins & tar deposits
- Restores smooth idling & efficient fuel delivery

(86-306) CARBON BUSTER



A multi-functional carbon and deposit remover. Restores compression when used to de-carbon combustion chamber as well as piston ring deposits.

- Activated foam de-carbons hard to reach engine parts restoring performance and functionality
- Suitable for EGR Valve, Turbo Compressors, Intake manifold and valves; "off-vehicle"DPF and parts

(86-526) BRAKE & PARTS CLEANER



Instantly removes brake residues and deposits such as brake fluid, oil, grease and brake dust without polluting the environment.

- Quickly and efficiently
- Dries fast leaves no residue
- Improves brake performance


(86-533) **BODY & AIR CLEANER**



Will remove sticky residue, caused by oil mist and crankcase fumes, from air intake system components as well as fuel residues, gums and resins.

- Removes sticky air intake build up
- Restores smooth idling & throttle response
- Restores correct airflow to improve air/fuel mixture

(86-587) VALVE GRINDING PASTE



- Dual grit size
- Provides lubrication while grinding
- Professional results in multiple applications

(86-588) EXHAUST SEALER

Wynn's Exhaust Sealant provides an easy, permanent and gas tight seal of small to medium sized holes in the exhaust.

- Seals small to medium sized holes
- Heat cures to create permanent seal
- Cost effective solution

EXHAUST SEAD

(86-862) HAMMER EXHAUST SEALANT



It moulds easily around exhaust joints to form a perfect seal. It is heat and vibration resistant and assists fitment by lubricating the flange before setting.

- Easy to mould into shape
- Seals exhaust joints gas tight
- Assists ease of fitment when joining an exhaust

(86-527) ENGINE START



wynns

The easy solution to starting problems. Avoids wear of the starter motor and prevents battery drain.

- Fast acting starting solution
- 2 stroke engine safe
- Contains friction proofing
- For petrol or diesel engines

(85-456) HAND CLEANER & DEGREASER



Perfectly suitable for all general cleaning and degreasing. It is fresh, fragrant and contains synthetic wax beads which are biodegradable.

- Removes oil, grease & stains
- Extra strength
- Gentle on hands

28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858

www





(86-498) ENGINE TREATMENT



Improves the lubricating and cleaning properties of engine oils, reduces friction and prevents formation of black sludge and varnish.

- Conditions metal surfaces
- Reduces fuel consumption
- Protects and enhances modern engines

(86-499) OIL SYSTEM FLUSH



Performs complete oil system cleaning from the sump through to the narrow oil galleriesand channels, preparing the entire system for optimal performance when new oil is added.

- Complete oil system flushing
- Anti-wear additives protect moving parts
- Provides efficient oil delivery to all essential areas
- Suitable for petrol or diesel engines

(86-502) ENGINE STOP LEAK



Corrects internal and external oil leaks resulting from shrunken rubber seals, gaskets, O-rings and piston wear and tear.

- Reduce oil burning and exhaust smoke
- Ideal for use in used car preparation
- Can be used in the crankcase, differential or manual gearbox

(86-503) CHARGE FOR OIL



A viscosity index improver prevents blow-by by maintaining oil viscosity throughout the temperature range preventing oil smoke.

- Reduces oil consumption in engines with signs of wear
- Improves oil pressure to better protect moving parts
- Provides anti-wear protection to reduce further wear

(86-504) ENGINE FLUSH



Superior flushing fluid additive to be used before an oil change. Engine Flush will remove sticky deposits from the pistons rings restoring compression as well as clean out oil channels.

- Removes sludge and oil deposits from the crankcase and oil system
- Provides essential wear protection while dissolving deposits
- Frees hydraulic valve lifters and VVT systems

(86-507) STOP SMOKE



Highly effective Viscosity Index Improver providing superior thermal stability to the engine oil, preventing seepage past the piston rings.

- Reduces exhaust smoke
- Reduces oil consumption in engines with considerable wear
- Restores oil pressure

(86-516) VALVE LIFTER CONCENTRATE



Formulated to combat contamination throughout the oil system, cleaning the Hydraulic Valve Lifters, Valve train while offering superior anti-wear protection.

- Prevents & eliminates noisy Hydraulic Valve Lifter operation
- Cleans and prevents sticky Variable Valve Timing systems
- Prevents excessive oil consumption caused by bore lacquering

(86-532) POWER STEERING CONDTIONER



Prevents oil leaks by rejuvenating the seals while maintaining optimum performance of the PAS pump and load bearing components.

- Eliminates Power Steering stiffness, shudder and noise
- Prevents aging and oxidation of automatic transmission and power steering fluids





28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858



(86-346) CHAIN LUBE



Wynn's Chain Lube is a strong adhesive, water repellent, penetrating lubricant for bike quad and other chain mechanisms.

- Reduces friction and wear
- Wide temperature range
- Resistant to dirt water and corrosion
- Long lasting,anti-static formulation

(85-418) CHAIN WAX



A specially formulated non-fling chain lubricant for high velocity chains. Especially suited to road bikes. Non conductive and O-ring safe

- Reduces friction and wear
- Resistant to dirt water and corrosion
- Wax consistency

(85-420) SILICONE LUBRICANT



Ideal for everyday household and elastomer lubrication such as door hinges, sticky locks, drawers, curtain rails and especially effective on rubber, plastic & nylon sliders.

- No oily residue
- Repels Water
- Penetrates into joints & sliding surfaces

(85-408) STOP SQUEAK



Stop Squeak is a silicone based lubricant with elastomer rejuvenating additives as well as PTFE solids for load carrying and lasting friction reduction.

- Rejuvenates hardened and noisy bushings
- Reduces friction between load
- carrying parts
 Excellent water resistant properties


(86-65...) SENSOR SAFE RTV



Specifically designed to provide reliable formed-in-place gaskets for mechanical assemblies that withstand operating environments up to 343°C and resistant to engine oils, fuel and anti-freeze.


- Extensively used in bonding & sealing applications on automobile engines such as joint cover of tappet cover, intake exhaust manifolds, timing chain cover, oil sump, etc.
- Available in Red, Silver, Blue and Black

(86-651) 5 MIN STEEL EPOXY



- Waterproof
- Chemical resistant
- Non shrinking
- Can be drilled, sanded and painted

(86-654) STUD LOCK



- Prevents & eliminates noisy Hydraulic Valve Lifter operation
- Cleans and prevents sticky Variable Valve Timing systems
- Prevents excessive oil consumption caused by bore lacquering

(86-653) NUT LOCK

The product is a single component anaerobic, medium strength thixotropic, acrylic based thread locker.



- Reduces gear friction & wear extending component life
- Provides oxidation & shear stability for longer oil life
- Quietens diff & manual gearbox whine providing smoother gear changes

(85-416) WYNFLOW



Superior PTFE lubrication with high load carrying properties. Ideal for garage worm gears, bike chains, fishing reels, gun mechanisms, etc.

- No residue
- Propellant flashes off leaving dry solids to lubricate
- No residue



28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858



(85-469) TYRE FIX

Works in both tube and tubeless tyres. Simply follow the easy instructions to connect the product, inflate and seal the puncture.



- Repairs puncture by sealing the hole from the inside
- Quick, convenient and safe
- Will not damage the tyre in any way

(86-652) 5 MIN SUPER EPOXY

Low viscosity, fast curing adhesive formulated to bond an extensive range of substrates including metal, ceramic, rigid plastic and wood.



- Waterproof
- Chemical resistant
- Non shrinking
- Sets in 5 minutes

(86-601) SUPER GLUE

Cyanoacrylate Adhesive which can be used for virtually any type of fastening job. Wynn's Super Glue is specifically formulated for difficult to bond substrates.



- Suitable for the following applications:
- ABS to ABS/Stainless steel/NBR
- Wood to Wood/ABS
- NBR to Stainless steel/NBR
- Stainless steel to Stainless steel

(85-1...) SKI ROPE

This polyethylene ski rope is lightweight and durable and suitable for tie downs or towing water craft. Available in 3 different lengths.



wynns

(85-160) TOW ROPE

A high strength towing strap that makes easy work of recovering broken-down vehicles.

- 4-ton towing capacity
- 3m length strap
- With D-shackles

שיחחיצ

(85-422) C THRU

Rain dispersant product for windows and windscreens. Rain is dispersed so effectively, you do not need to use wipers at all even in heavy down pours.

- Clear vision even in heavy rain
- Long lasting formula
- No need for wipers



(85-490) CHAMOIS

Remove moisture and leave surfaces clean and streak free. Container makes it ideal for storing in your car glove compartment or boot to have on hand when needed for quick

- Best results on paintwork, windows and bright work - Super thick
- Extra absorbent
- Tear resistant



(85-414) NUMBER FIVE



Number Five Spray is a multi-purpose penetrating lubricant for chains, hinges, locks, castors, fishing reels, tools etc. Excellent rust penetrating properties when used as a de-gripping agent.

- Silicone free
- Protects against corrosion
- Workshop and household lube
- De-gripping of stubborn nuts or bolts



(85-493) CLEEN GREEN FOAMY

Wynn's Cleen Green Lavender with foamy applicator is a concentrated cleaning agent suitable for most applications.

- Ammonia and bleach free
- Foamy applicator allows solution to sit on surfaces for longer
- Effective against stubborn household, automotive and workshop grime



28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777

Service Centre 9 Parson Street Tel: (061) 370 740 Fax: (061) 370 747 Eliaser Tuhadeleni Str Ext 10, Swakopmund Tel: (064) 463 805 Fax: (064) 463 858



TERMS & CONDITIONS OF SALE

- This price list cancels all previous issues.
- · Prices are subject to change without notice.
- Claims for shortages or breakages will only be accepted if received in writing within 7 days of receiving goods.
- All goods returned to be accompanied by a copy of the relevant tax invoice.
- A minimum order of N\$2500,00 excluding VAT is required for contracted out deliveries.
- For orders below N\$2500,00 full transport costs are payable.
- The minimum order that will be delivered locally is N\$2500,00 excluding VAT.
- Orders will only be accepted for the stated minimum order quantities.
- We reserve the right to charge a 25% handling fee on goods returned.
- Settlement terms are strictly 30 days NETT, to approved customers.
- All goods are supplied in accordance with the "Conditions of Sale" appearing on the company's invoices, notwithstanding the above.



28 Joule Street, Southern Industrial Area Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street Prosperita, Windhoek Tel: (061) 370 770 Fax: (061) 370 777 Main Road Oshakati Tel: (065) 222 447 Fax: (065) 222 309 Swakopmund, Ext 10 Eliaser Tuhadeleni Str. Tel: (064) 463 806 Fax: (064) 463 858