



NAMIBIA

CATALOGUE

01 February 2024



TAURUS MAINTENANCE PRODUCTS NAMIBIA (PTY) LTD

PETROL ADDITIVES



PETROL TOTAL ACTION TREATMENT



Cleans fuel system before combustion (fuel delivery system); during combustion (injectors, upper cylinder block, Turbo); and after combustion (Catalytic Converter, oxygen sensor) **375ml treats up to 70L fuel**

Triple action cleaning: before, during and after combustion

Reduces exhaust emissions & black smoke

Improves engine performance & fuel economy

86-596 | 12 x 375 ml

POWER BOOST PETROL



An octane enhancing additive for high performance petrol engines with knock sensor technology. The increased octane provides significantly more power to vehicles tuned to high octane fuel. **325ml treats 50L fuel**

Increases the octane number (RON) by up to 3 units

Provides upper cylinder lubrication for up to 5,000km

Increases horsepower & protects valves

86-342 | 12 x 325 ml

INJECTOR CLEANER PETROL



Designed to dissolve high temp fuel deposits on the injector pintle, keeping them clean & lubricated. Safe to use with all fuel system components including high pressure direct injection, Catalytic converters and O2/ lambda sensors. **375ml treats 50L fuel**

Reduces exhaust smoke caused by incomplete fuel combustion

Removes water from the fuel system

Improves fuel economy and overall engine performance

86-518 | 12 x 375 ml

VALVE GUARD



An emission free, environmentally friendly, lead substitute solution to protect the older vehicle when running on unleaded petrol. Compatible with normally aspirated & turbo charged vehicles. **200ml treats 50L fuel**

Prevents valve seat recession

Frees sticky valves

Lubricates upper cylinder

86-520 | 12 x 200 ml

FUEL STABILISER



A petrol & diesel fuel additive to prevent fuel from degrading when a vehicle is not in use for extended periods of time, or when stored. **175ml treats 20L fuel**

For lawn mowers, boats, motorcycles, recreational vehicles, classic & project cars

Protects against rust and corrosion

Prevents fuel tank & filter deposits

86-308 | 12 x 175 ml

SPITFIRE



Promotes complete petrol combustion while cleaning carbon deposits from the upper cylinder preventing preignition and engine run-on. Prevents fuel deposits and carbon build up by contamination and fuel degradation. **175ml treats up to 50L fuel**

Ideal for engines which are not regularly run

Frees sticky pistons

Maintains lambda/O2 sensor and EGR cleanliness

86-521 | 12 x 175 ml

CATALYTIC CONVERTER CLEANER



Catalytic Converter & O2 Sensor Cleaner optimizes the efficiency of the catalytic converter and ensures the optimal working of the oxygen sensors by cleaning the active surfaces of combustion and exhaust residue. **325ml treats 30L fuel**

Especially suited for city driving vehicles

Prolongs catalytic converter life

Improves fuel economy by restoring air-fuel ratio

86-534 | 12 x 325 ml

FUEL SYSTEM CLEANER



A blend of selected cleaning agents formulated to cumulatively clean the entire petrol fuel system removing all lacquer, gum and resin deposits associated with petrol engines. **375ml treats up to 70L fuel**

Complete fuel system cleaning from tank through to combustion

Dissolves petrol related deposits restoring efficient fuel delivery

Improves fuel consumption and keeps fuel jets clean

86-540 | 12 x 375 ml

RACE FUEL FORMULA



A fuel additive to enhance performance by increasing the Octane rating up to 10 RON numbers. The higher octane additive fuel will provide significantly more power to engines tuned to high octane specs or with anti-knock technology. **500ml treats 20L fuel**

Transforms fuel grade from 95 to 105 at the relevant treat ratio

Overcomes pre-ignition, pinging or knocking in the engine

Increases horsepower

86-572 | 12 x 500 ml

DIESEL ADDITIVES



DIESEL TOTAL ACTION TREATMENT



Cleans fuel system before combustion (fuel delivery system); during combustion (injectors, upper cylinder block, Turbo); and after combustion (DPF, oxygen sensor)
375ml treats up to 70L fuel

Triple action cleaning: before, during and after combustion

Reduces exhaust emissions & black smoke

Improves engine performance & fuel economy

86-595 | 12 x 375 ml

DIESEL TREATMENT



A complete diesel additive to maintain performance in all conditions. Cleans injectors, reduces soot emissions and keeps EGR & DPF systems clean with by killing algae and micro-organisms, flow improver prevents diesel waxing to well below freezing point.
375ml treats up to 70L fuel

Kills micro-organisms & algae associated with diesel tank contamination

Lubricates injector increasing efficiency and extending injector life

Cleans injectors, turbo, EGR & DPF

86-386 | 12 x 375 ml

DIESEL POWER BOOST



Raises the Cetane number of diesel reducing ignition delay resulting in more complete and consistent diesel combustion which delivers greater torque and power. **375ml treats up to 70L fuel**

Vastly improves cold starting and low temperature performance

Quietens diesel engine noise by reducing knock

More complete combustion improves fuel economy & reduces emissions

86-341 | 12 x 375 ml

DIESEL CLEAN BURN



Regenerates severely clogged DPF within minutes restoring power. Use to maintain a clean, trouble free DPF system, clear EGR valves to restore correct air/fuel mixture and clean turbo fans. **375ml treats up to 60L fuel**

Cleans & regenerates Diesel Particulate Filter

Prevents & cures Turbo lag by removing restricting soot and carbon deposits

Optimises DPF, EGR & turbo performance

86-557 | 12 x 375 ml

DIESEL INJECTOR & TURBO CLEANER



Formulated to dissolve and remove gums, resins and high temperature carbon deposits from injectors. Reduces the temperature of soot incineration, removing all deposits on the exhaust side of the Turbo, restoring optimal performance and fuel economy. **375ml treats 60L fuel**

Restores diesel spray pattern and fuel optimisation improving engine response

Reduces black exhaust smoke caused by incomplete diesel combustion

Removes Internal Diesel Injector Deposits

86-542 | 12 x 375 ml

DIESEL TURBO CLEANER



Diesel Turbo Cleaner is an in-tank turbo cleaner for all Diesel vehicles used to free sticky vanes and ensures complete variable turbo cleaning. **375ml treats up to 70L fuel**

Removes carbon build up from the turbine and frees sticking vanes without dismantling

Removes residues from the Diesel Oxidation Catalyst and has a good cleaning effect on the EGR valve

Re-establishes engine power and throttle response

86-547 | 12 x 375 ml

DRY FUEL



Suitable for diesel and petrol engines to absorb water in the fuel system. Dry Fuel emulsifies the free water into a stable fuel solution allowing it to be burned through combustion and out the exhaust without damage to the engine.

Absorbs water from the fuel tank

Protects against rust and corrosion

Prevents carburettor and fuel filter icing

86-546 | 12 x 375 ml

FUEL STABILISER



A petrol & diesel fuel additive to prevent fuel from degrading when a vehicle is not in use for extended periods of time, or when stored. **175ml treats 20L fuel**

For lawn mowers, boats, motorcycles, recreational vehicles, classic & project cars

Protects against rust and corrosion

Prevents fuel tank & filter deposits

86-308 | 12 x 175 ml

OIL SYSTEM ADDITIVES



OIL SYSTEM FLUSH



Performs complete oil system cleaning from the sump through to the narrow oil galleries and channels, preparing the entire system for optimal performance when the new oil is added. **375ml treats up to 6L engine oil**

Anti-wear additives protect moving parts

Water emulsifier removes harmful moisture from the system

Compatible in petrol or diesel engines

86-499 | 12 x 375 ml

ENGINE FLUSH



Use before an oil change to. Provides extra protection while dissolving sludge and oil deposits with a unique anti-wear additive. Removes sticks deposits from piston rings restoring compression. **375ml treats up to 6L engine oil**

Cleans engines internally while providing anti-wear protection

Frees sticky piston rings, hydraulic valve lifters, and variable timing systems

Restores compression

86-504 | 12 x 375 ml

CHARGE! FOR OIL



A viscosity index improver prevents blow-by by maintaining oil viscosity throughout the temperature range preventing oil smoke. Reduces oil consumption in engines with signs of wear. **375ml treats up to 3-4L engine oil**

Minimises exhaust smoke by providing better piston ring sealing

Improves oil pressure to better protect moving parts

Restores compression

86-503 | 12 x 500 ml

86-506 | 12 x 375 ml

ENGINE, DIFF & GEARBOX STOP LEAK



Corrects internal and external oil leaks resulting from shrunken rubber seals, gaskets, O-rings and piston wear and tear. Stops oil leaks past valve stem seals as well as blow-by smoke. Great for restoring valve stem seals. **375ml treats up to 6L engine oil**

Reduce oil burning and exhaust smoke

Reduce unsightly leaks from camshaft and crankcase oil seals

Ideal for use in used car preparation

86-502 | 12 x 375 ml

STOP SMOKE



Reduces exhaust emissions (blue or black smoke) caused by oil burning through the chamber. Stop Smoke is a highly effective Viscosity Index Improver providing superior thermal stability to the engine oil, preventing seepage past the piston rings. **500ml treats up to 6L engine oil**

Ideal for high mileage vehicles

Reduces exhaust smoke

Reduces oil consumption in engines with considerable wear

86-507 | 12 x 500 ml

VALVE LIFTER CONCENTRATE



Formulated to combat contamination throughout the oil system, cleaning the Hydraulic Valve Lifters, Valve train while offering superior anti-wear protection. **375ml treats up to 6L engine oil**

Prevents & eliminates noisy Hydraulic Valve Lifter operation

Prevents excessive oil consumption caused by bore lacquering

Reduces positive crankcase pressure

86-516 | 12 x 375 ml

POWER STEERING & ATF CONDITIONER



An oil soluble supplement developed to eliminate Power assisted Steering (PAS) stiffness, shudder and noise as well as ease shifting of automatic gearboxes.

Provides smoother operation of PAS & auto-transmission gear changes

Prevents ageing and oxidation of automatic transmission and power steering fluids

Prevents & cures oil leaks by nourishing the seals and O-rings

86-532 | 12 x 375 ml

ATF FLUSH



An oil soluble treatment developed to clean automatic gearboxes and restore their optimal operation.

Safely removes varnish deposits

Prepares transmission for new fluid

Cleans all internal transmission components & prolongs their life

86-549 | 12 x 375 ml

GEAR OIL TREATMENT



A fully supplementary EP gear oil package for manual gearboxes, differentials or use as an assembly lube for engine rebuilds. Formulated to meet international vehicle manufacturer's specifications.

Reduces gear friction & wear extending component life

Provides oxidation & shear stability for longer oil life

Quietens diff & manual gearbox whine for smoother gear changes

86-530 | 12 x 90 ml

RADIATOR & COOLANTS



RADIATOR FLUSH



Removes scale, rust and silicate fallout which restrict cooling. Also removes oil ingress caused by cylinder head gasket or oil cooler failure and is compatible with all coolant types, conventional EG as well as organic coolants. Aluminium and rubber hose safe.

Dissolves and loosens scale and rust build-up from radiator and cooling jacket

Restores heat transfer to effect correct operating temperature

Removes oil ingress from head gasket

RADIATOR STOP LEAK



A unique blend of non-ferrous fibres and surface active agents which combine to plug hairline cracks and pinholes associated with cavitation pitting and corrosion. Compatible with all Ethylene Glycol and OAT coolants as well as Aluminium and rubber hose safe.

Effect emergency repairs to prevent loss of coolant

Enables extended trips to be completed without costly repairs/time wasted

Stops head gasket seepage

CYLINDER BLOCK SEAL



Repairs internal and external cylinder block cracks in record time. Wynn's formulation has been specifically designed to treat hairline cracks in cylinder walls to large cracks in the cylinder block without the need to dismantle your vehicles' precious components.

Repairs cracks in cylinder blocks in 30 minutes without dismantling

Resists high pressures, water pressure and vibration

Does not clog hoses

86-511 | 12 x 375 ml

86-513 | 12 x 375 ml

86-496 | 12 x 325 ml

EXTENDED LIFE COOLANT (OAT)



A premium ready to use (Type D) Organic Acid Technology Coolant and Antifreeze which provides superior protection for modern vehicles. Freezing Point -25°C (ASTM D1177)

Contains anti-corrosion and anti-foam agents

Provides superior protection

Made from the finest Euro spec Glycols

SUMMER & WINTER ANTIFREEZE



A premium ready-to-use, high performance coolant and antifreeze. It is a complete replacement package making it suitable for all vehicles; those that require either organic or inorganic coolants. MEG-based, NAP-free hybrid coolant/antifreeze, Freezing Point: -38°C (ASTM D1177)

Contains anti-corrosion and anti-foam agents

Suitable for all vehicle types

Made from the finest Euro spec Glycols

86-360 | 12 x 1000 ml

86-362 | 12 x 1000 ml

CHILLY WILLY



A pre-mixed high performance inorganic coolant /antifreeze package for old and modern vehicles. Made from the finest Euro spec glycols, anti-corrosion and anti-foam agents to provide superior protection. Contains 40% MEG Freezing Point: -25 °C (ASTM D1177)

Contains anti-corrosion and anti-foam agents

Provides superior protection

Made from the finest Euro spec Glycols

86-510 | 12 x 1000 ml

86-515 | 6 x 2000 ml

EXTREME ANTIFREEZE



A concentrate designed to meet old and modern vehicle requirements made from the finest Euro spec glycols, anti-corrosion and anti-foam agents to provide superior protection. Freezing Point at 40% dilution -25°C (ASTM D1177)

Contains anti-corrosion and anti-foam agents

Provides superior protection

Made from the finest Euro spec Glycols

AIRCON TREATMENT



This fogger effectively kills 99.99% of viruses, moulds and bacteria; and neutralises odours that may be circulated by your vehicle air conditioning system. Room fogger also available.

Quick easy fogging application

Removes odours and harmful bacteria

Ideal for shared or fleet vehicles

86-514 | 12 x 1000 ml

85-412 | 12 x 200 ml

85-321 | 12 x 200 ml

FRESH AIR ULTRASONIC



Air conditioner cleaner to be used with Wynn's Aircomatic machines. Removes bad odours and bacteria from air conditioning systems.

Removes greasy deposits, dust and other dirt from the airco evaporator.

Eliminates bad odours and nicotine smell

Prevents allergic reactions

85-443 | 12 x 100 ml

MAINTENANCE



CARBON BUSTER



A multi-functional carbon and deposit remover. Restoring compression when used to de-carbon chambers as well as piston ring deposits. The activated foam de-carbons hard to reach engine parts restoring performance and functionality.

Cleans and unblocks Turbo compressor

Cleans Exhaust Gas Recirculation (EGR) valve & Intake manifold

Cleans Diesel Particulate Filter & parts

86-306 | 12 x 200 ml

ENGINE START



The easy solution to starting problems. Avoids wear of the starter motor and prevents battery drain. Engine start assists with cold weather starting, flooded engines and helps restore fuel pump pressure after a vehicle has run dry.

Fast acting starting solution

2 stroke engine safe

Contains friction proofing

86-525 | 12 x 375 ml

86-527 | 12 x 200 ml

THROTTLE BODY & AIR INTAKE CLEANER



Removes sticky residue, caused by oil mist and crankcase fumes, from air intake system components as well as fuel residues, gums and resins.

Restores smooth idling & throttle response

Cleans contaminated EGR & idle speed valves

Removes sticky air intake build up

86-533 | 12 x 285 g

CARB CLEANER



A powerful solvent which enables you to clean the carburetors without dismantling. Simply spray it into the float chamber vent to clean the inside and down the throat for rapid results. Spray onto the outside to clean the exterior.

Cleans without dismantling

Rapidly dissolves gums, resins, & tar deposits

Restores smooth idling & efficient fuel delivery

86-387 | 12 x 285 g
86-538 | 12 x 200 ml
86-539 | 12 x 500ml

BRIGHT SPARK



An intelligent electrical circuit and contact cleaner. Spray directly onto surfaces to be cleaned to restore good electrical contact. It will remove all moisture, dirt, flux and oily residue. Ideal for sensitive electronics, printed circuits, switches and electrical panels. Safe to use on most plastics, rubber and metal.

Fast and convenient cleaning action

Quick drying formula removes moisture

Inhibits corrosion

85-388 | 12 x 200 ml

BRAKE & PARTS CLEANER



Instantly removes brake residues and deposits such as brake fluid & dust oil and grease without polluting the environment. Use before every brake service to ensure clean re-application of callipers and pads. Also cleans CV joints before new grease is applied.

Clean brake components when servicing or replacing pads

Safe to use on ABS systems

Clean parts and CV joints

86-526 | 12 x 500 ml

GRINDING PASTE



Water based abrasive paste solution for asperity removal from metal surfaces. It is a dual package containing fine and coarse grit for professional results. Can be used to seat new valves, sharpen blades, remove score marks, lapping, tool making etc.

Dual grit size package

Provides lubrication while grinding

Professional results in multiple application

86-587 | 12 x 85 g

EXHAUST SEALER



Provides an easy, permanent and gas tight seal of small to medium sized holes in the exhaust. The heat of the exhaust hardens the sealant to form a solid permanent fix.

Seals small to medium sized holes

Heat cures to create permanent seal

Cost effective solution

86-588 | 24 x 200 g

HAMMER FORGED EXHAUST SEALANT



Moulds easily around exhaust joints to form a perfect seal. It is heat and vibration resistant and assists fitment by lubricating the flange before setting.

Easy to mould into shape

Seals exhaust joints gas tight

Assists ease of fitment when joining an exhaust

86-862 | 12 x 200 g

INTERIOR CLEANING



DASH SPRAY



For vinyl and rubber, treats and protects the dashboard, plastic bumpers, trim, matt surfaces and trunk rubbers. Dash will remove polish traces from plastic and rubber trims.

Treats and cleans vinyl, plastic and rubber surfaces

UV Protection

Anti-static

85-444 | 12 x 250 ml

85-445 | 12 x 500 ml

DASH AEROSOL



For vinyl and rubber, treats and protects the dashboard, plastic bumpers, trim, matt surfaces and trunk rubbers. Dash will remove polish traces from plastic and rubber trims. Scented

With lavender or leather scent

UV Protection

Anti-static

85-463 | 12 x 250 ml LAVENDER

85-464 | 12 x 250 ml LEATHER

FRESH



An extra-long lasting deodorant air freshener which will fight odours while protecting and beautifying vinyl, rubber, dashboards, tyres, exterior trim and matt finishes.

Extra-long lasting fragrance

UV Protection

Protects and beautifies vinyl & rubber surfaces

85-465 | 12 x 250 ml MUSK

85-466 | 12 x 250 ml CHERRY

85-467 | 12 x 250 ml APPLE

BRUSH OFF



A dry foam cleaner for all fabric and velour upholstery in the car and at home. The activated foam assists in lifting dirt to the surface for ease of removal. Ideal for carpets, roof linings, seats etc.

Dry activated foam

Lifts dirt for easy removal

Clean car and household upholstery, carpet and fabrics

85-451 | 12 x 375 ml

LEATHER CARE



Treats and protects leather and vinyl seats, jackets, lounge suites or any leather item requiring superior nourishment and care. It contains unique ingredients such as lanolin, silicones, softeners, cleaning agents and a UV protector. Keeps leather soft and prevents cracking.

For all leather and vinyl articles

Cleans and nourishes

UV protection

85-452 | 12 x 375 ml

85-1452 | 6 x 2000 ml

AIRCON TREATMENT



This fogger effectively kills 99.99% of viruses, moulds and bacteria; and neutralises odours that may be circulated by your vehicle air conditioning system. Room fogger also available.

Quick easy fogging application

Removes odours and harmful bacteria

Ideal for shared or fleet vehicles

85-412 | 12 x 200 ml

AIR FRESHENERS



Hang or place in your vehicle for a fresh scent that is suited to any environment.

With rope to hang from windshield

Comes on easy-to-display strip

Scents: Lime, Black Ice, Asian Rain, Jasmine, Lavender and Strawberry

86-720 | 24 x BUTTERFLY

86-733 | 24 x LEAF

EXTERIOR CLEANING



FOAMING CAR WASH CONCENTRATE



Visibly reduces spots and streaks for a high gloss finish. This high-foaming formula is concentrated for greater cleaning action. It safely lifts dirt, grime and residues leaving your vehicle with a brilliant finish. For all vehicle surfaces, including waxed and coated surfaces.

- High gloss finish
- Safe for use on waxed surfaces
- Biodegradable

85-481 | 12 x 1000 ml

CERAMIC WATERLESS CAR WASH



Wynn's Waterless Car Wash & Rain Repellent is a spray on, wipe off car wash designed to clean your car while giving it a protective water repelling coating. Formulated using Silicon Dioxide (SiO2) technology to fill voids of pre-existing imperfections for a greater finish.

- Ceramic components
- Scratch-free application
- Water-saver

85-483 | 12 x 500 ml

KWIK-KWIK WASH & WAX



A unique wax wash containing specialized wax which plates out on the paint to preserve polish and sealants. A rinse after washing is not essential. Simply dry the car and buff windows and bright work.

- Carnuba wax shampoo
- Cleans shines and protects
- One cap treats 5L of hot or cold water

85-438 | 12 x 500 ml

BIG RED CAR WASH



A great value everyday car wash to keep your car looking like new minutes. Add to hot or cold water, lather and wash liberally to remove everyday dust and dirt.

- Great value
- Add to hot or cold water
- Up to 30 washes per bottle

85-430 | 12 x 1000 ml

DETAIL POLYMER SEALANT



Combines the benefits of polymerized silicone paint sealant with Carnuba wax. It is mildly abrasive to assist in polishing out swirl marks and minor scratches. The Polymer sealant will last up to one year before re-application.

- Dual acting polymer sealant with Carnuba wax for added protection
- Removes swirl marks and minor scratches
- Long lasting

85-439 | 12 x 500 ml

AUTOGLAZE



A premium non-abrasive cream polish for all paint finishes including high end metallic and clear coat paintwork.

- High quality finish
- Non-abrasive
- Applies easily without leaving powder residue

85-436 | 12 x 250 ml

SCRATCH REMOVER



An abrasive polishing paste with micro particles which remove scratches and scuff marks commonly associated with everyday knocks and bumps. Large angular particles abrade and break down while small smoother particles leave a polished finish.

- Removes scratches and scuffs from paintwork, bumpers and headlights
- Multi-action abrasive process leaves a highly polished finish
- Convenient tube prevents dirt ingress and contamination

85-356 | 12 x 100 ml

REVIVE



Revive paintwork renewer, is a burnishing compound with abrasive particles which remove faded, discoloured paint and scratches. Revive removes years of grime and oxidation in minutes. *Not recommended for metallic finishes*

- Abrasive polish to restore faded paintwork
- Prepares paintwork for new polish by removing wax build-up
- Removes stubborn dirt and scratches

85-441 | 12 x 375 ml

NANO CERAMIC COATING



A liquid sealant formulated to protect vehicles paint work from the harsh environmental conditions. This product provides long lasting weather protection in a simple, DIY application. The hydrophobic barrier helps prevent dust pick up even after multiple detergent washes thanks to the latest siloxane technology.

- UV Protection
- Long-lasting European specification formula
- Easy DIY application

85-484 | 12 x 500 ml

85-450 | 12 x 250 ml

WINDOWS & TYRES



WINDSCREEN WASH



A concentrated detergent additive for the windscreen water reservoir to remove stubborn dirt and insect residue from the windshield. **200ml treats 5L water**

Removes dirt and bug remains

Anti-streak formulation leaves windscreen clear

Lubricates wiper blades reducing shudder

C THRU



A truly remarkable innovative rain dispersant product for windscreens and windows. Rain is dispersed so effectively, you do not need to use wipers at all even in the heaviest of down pours. Applies easily with a clean cloth and lasts an entire rainy season.

No more wipers

Clear vision in heavy rain

Long lasting formula

D MIST



An anti-fog product designed to be used on all vehicle windshield interiors. D Mist provides a shield which prevents fog from adhering to the glass.

Removes/Reduces interior fog from windscreens

Quick and easy application

Lasts up to one month

85-358 | 12 x 200 ml

85-422 | 12 x 250 ml

85-427 | 12 x 250 ml

MAG WHEEL CLEANER



A highly effective cleaning formulation designed to remove dirt associated with wheel rims and mags. Simply spray on and hose off. In stubborn cases a light brush can be used to remove dirt before rinsing.

Highly effective formulation for mag wheels and coated alloy wheels

Convenient trigger bottle for easy spray application

Fast acting

TYRE TREAT



A foam cleaner which acts quickly by simply spraying the actuated foam onto the tyre. For enhanced appearance, wipe the tyre before it is dry. Tyre Treat will not harm tyres, alloy wheels or paint. Prevents tyre deterioration and discoloration. Tyres will attract less dirt and will wipe off easily.

No pre-cleaning required

Actuated foam removes dirt in one application

Can be used on wet tyres

TYRE & TRIM SHINE



A silicone cleaner, protector and beautifier for all exterior plastics, vinyl, rubbers and tyres. Applies easily leaving exterior trim looking like new while protecting from UV. The special anti-static formula prevents dust and dirt from accumulating on treated surfaces keeping them cleaner for longer.

Tough exterior cleaner and protector

UV protector

Anti-static formula

85-352 | 12 x 500 ml

85-433 | 12 x 400 ml

85-397 | 12 x 500 ml

BLACK BACK



Brings back the black on faded bumpers, grills, spoilers, louvers, dashboards, tyres and other black trim.

Covers grey faded areas instantly

Spreads evenly and consistently

Long lasting

TYRE FIX



A great emergency product which will re-inflate and seal a puncture without having to jack up the vehicle or remove the wheel. Simply follow the easy instructions to connect the product, inflate and seal the puncture. Ideal for all vehicles, bikes, boat trailers, caravans and 4X4's.

Inflates tyre without removing the wheel

Seals puncture on the spot

Safe, fast and easy to use

85-469 | 12 x 285 g

85-472 | 12 x 450 g

85-434 | 12 x 200 ml

LUBRICANTS



NO. 5 SPRAY



A multi-purpose penetrating lubricant for chains, hinges locks, castors, fishing reels, tools etc. Excellent rust penetrating properties when used as a de-gripping agent.

- Silicone free multi-purpose lubricant
- Dissolves and cleans tar, grease and sticker residue
- Rust penetrant

85-413 | 12 x 200 ml
85-414 | 12 x 375 ml

WYNFLON



Superior PTFE lubrication with high load carrying properties. Ideal for garage worm gears, bike chains, fishing reels, gun mechanisms, gym equipment and micro gears. A clean lubricant which flashes off the surface leaving dry solids to lubricate.

- Penetrating oil containing PTFE solids
- Clean, dry lubricant which is residue free
- Water repellent

85-416 | 12 x 200 ml

WHITE LITHIUM GREASE



White Lithium-based Grease aerosol lubricant sprays on like a fluid, then congeals to a grease for prolonged lubrication intervals. Effective lubrication and protection for automotive, domestic and light duty applications, including battery terminals, locks, hinges, latches etc.

- Resistant to water
- Temperature range from -15°C to 120°C
- Excellent metal retention

86-580 | 12 x 250 ml

SILICONE LUBRICANT



A multi-purpose silicone based spray, ideal for everyday household and elastomer lubrication such as door hinges, sticky locks, drawers, curtain rails and especially effective on rubber, plastic & nylon sliders.

- Penetrating silicone lubricant
- Water repellent & prevents corrosion
- No oily residue

85-420 | 12 x 200 ml

CHAIN LUBE



A strong adhesive, water repellent, penetrating lubricant for bike quad and other chain mechanisms.

- Reduces friction and wear
- Performs through a wide temperature range
- Long lasting, anti-satic formulation

86-346 | 6 x 375 ml

CHAIN WAX



A specially formulated non-fling chain lubricant for high velocity chains. Especially suited to road bikes. Non conductive and O-ring safe.

- Reduces friction and wear
- Resistant to dirt, water and corrosion
- Wax consistency

86-418 | 6 x 375 ml

STOP SQUEAK



Superior lubrication specifically designed to eliminate squeaks and groans associated with suspension systems. Stop Squeak is a silicone based lubricant with elastomer rejuvenating additives as well as PTFE solids for load carrying and lasting friction reduction.

- Rejuvenates hardened and noisy bushings
- Reduces friction between load carrying parts
- Excellent water resistant properties

85-408 | 12 x 200 ml

ADHESIVES & MISCELLANEOUS



SUPER GLUE



A cyanoacrylate adhesive which can be used for virtually any type of fastening job. Wynn's Super Glue is specifically formulated for difficult to bond substrates. The extended non-clogging nozzle allows for accurate and precision gluing.

- Quick drying
- High strength
- Easy to use

86-601 | 12 x 3 g

NUT LOCK



A solvent free product that cures in the absence of air and in the presence of metal ions. Applications includes studs, nuts, screws and any threaded fasteners. The adhesive prevents loosening caused by vibration, mechanical and thermal shock.

- High chemical and mechanical resistance
- Inhibits corrosion, prevents seizing and galling
- Medium strength bond requiring 20Nm torque to loosen

86-620 | 5 x 50 ml
86-653 | 12 x 7 g

STUD LOCK



For the sealing and locking of threaded fasteners. The product is a single component anaerobic, medium to high strength thixotropic, acrylic based thread locker.

- Solvent free
- High chemical and mechanical resistance
- Inhibits corrosion, prevents seizing and galling

86-621 | 5 x 50 ml
86-654 | 12 x 7 g

CONTACT ADHESIVE



All purpose polychloroprene rubber based contact adhesive. Immediate bond strength with good resistance to water and heat. Instantly bonds on contact to a variety of surfaces without clamping or sustained pressure.

- Resistant to heat and water
- Resistant to heat and water
- Wide use of applications

86-631 | 12 x 100 ml
86-632 | 12 x 50 ml

5 MIN STEEL EPOXY



A two-component, low odour, fast curing adhesive formulated to bond an extensive range of substrates including steel, brass, copper, iron, plastic, wood, concrete and ceramics. Applied in single action, this product cures with high bonding strength, resistance to high temperature, pressure and grease.

- Two-component, low viscosity
- Fast curing adhesive
- Bonds an extensive range of substrates

86-651 | 12 x (2x16) ml

5 MIN SUPER EPOXY



A two-component, low viscosity, fast curing adhesive formulated to bond an extensive range of substrates including metal, ceramic, rigid plastic and wood. Applied in single action, this product cures with excellent adhesion.

- Two-component, low viscosity
- Fast curing adhesive
- Bonds an extensive range of substrates

86-652 | 12 x (2x16) ml

RTV GASKET MAKER



Specifically designed to provide reliable formed-in-place gaskets for mechanical assemblies that withstand operating environments up to 260°C and resistant to engine oils, fuel and anti-freeze.

- Sensor Safe
- High stability, durability and chemical resistance
- Single component which vulcanises at room temperature

86-655 | 12 x 90 ml BLACK
86-657 | 12 x 90 ml SILVER
86-658 | 12 x 90 ml RED

SKI ROPE



This polyethylene ski rope is lightweight and durable and suitable for tie downs or towing water craft.

- Lightweight
- Floats in water
- Abrasion resistant

85-150 | 1 x 10 m
85-147 | 1 x 20 m
85-148 | 1 x 30 m

TOW ROPE



A high strength towing strap that makes easy work of recovering broken-down vehicles.

- 4-ton towing capacity
- 3 metre length strap
- With D shackles

85-160 | 1 x Each

GENERAL CLEANING



CLEEN GREEN



Penetrates and lifts oil, grease and stains, cleans stubborn dirt and grime in the household and workshop. Available in Original, Lemon or Lavender.

General purpose cleaner and degreaser

Concentrated formula

No bleach or Ammonia

85-447 | 6 x 2000 ml ORIGINAL
85-446 | 6 x 2000 ml LEMON
85-359 | 6 x 2000 ml LAVENDER

CLEEN GREEN TRIGGER



The Original Cleen Green in a handy trigger bottle for easy application! Penetrates and lifts oil, grease and stains, cleans stubborn dirt and grime in the household and workshop.

General purpose cleaner and degreaser

Concentrated formula

No bleach or Ammonia

85-459 | 12 x 750 ml
85-460 | 12 x 500 ml

CLEEN GREEN LAVENDER FOAMY



Cleen Green Lavender Concentrate with a foamy applicator is highly concentrated cleaning agent which is suitable for most applications. Cleen Green is biodegradable and contains no ammonia or bleach.

Foamy application sticks longer to surfaces and penetrates dirt better

Concentrated formula

Lavender scented

85-493 | 12 x 500 ml

CLEEN GREEN SQUEEZER



The Original Cleen Green in a handy squeezer bottle. Penetrates and lifts oil, grease and stains, cleans stubborn dirt and grime in the household and workshop.

General purpose cleaner and degreaser

Concentrated formula

No bleach or Ammonia

85-461 | 12 x 500 ml

HAND CLEANER & DEGREASER



Cleen Green Hand Cleaner has been specifically developed as an all purpose hand cleaner and degreaser which is perfectly suitable for all general cleaning and degreasing. It is fresh, fragrant and contains synthetic wax beads which are biodegradable.

Cleans, degreases and protects hands

Contains biodegradable wax microbeads

Moisturising

85-456 | 12 x 500 ml

CLEEN GREEN SURFACE CLEANER



Cleans and disinfects your kitchens, bathrooms, offices, workshops and more, leaving behind a fresh fragrance. The dual action trigger allows spray and foam action- increasing the contact time on surfaces. Formulated with biodegradable materials and scientifically proven to kill 99.9% of germs.

99.9% of germs KILLED *based on SANS 51276

Biodegradable

Ready to use

85-310 | 12 x 500 ml

ENGINE CLEANER & DEGREASER



A solvent based de-greaser for heavy duty cleaning of interior and exterior engine parts. It easily lifts dirt, grime, and oil off bikes, chains, quads etc.

Heavy duty

Cleans toughest grease and grime

Can be used with high pressure sprayer

85-431 | 12 x 500 ml

ROOM SANITISER



Contains a powerful QAC biocide to effectively deodorize rooms, cabins, offices, buses, trains and more in one easy application. Simply place the can on a flat surface, depress the lock down button and allow to empty. Within 15 minutes the area is deodorized and safe for occupation, with no sticky residue remaining on your furniture or belongings.

Easy, fogger application

One can treats areas up to 30m²

Eliminates bad odours

85-321 | 12 x 200 ml

CHAMOIS



Super thick, extra absorbent and tear resistant. Recommended for best results on paintwork, windows and bright work to remove moisture and leave surfaces clean and streak free.

Thick and absorbent

Tear resistant

With ease

85-490 | 100 x Each

TERMS & CONDITIONS OF SALE

- This price list cancels all previous issues.
- Prices are subject to change without notice.
- Claims for shortages or breakages will only be accepted if received in writing within 7 days of receiving goods.
- All goods returned to be accompanied by a copy of the relevant tax invoice.
- A minimum order of N\$3000,00 excluding VAT is required for contracted out deliveries.
- For orders below N\$3000,00 full transport costs are payable.
- The minimum order that will be delivered locally is N\$3000,00 excluding VAT.
- Orders will only be accepted for the stated minimum order quantities.
- We reserve the right to charge a 25% handling fee on goods returned.
- Settlement terms are strictly 30 days NETT, to approved customers.
- All goods are supplied in accordance with the "Conditions of Sale" appearing on the company's invoices, notwithstanding the above.



28 Joule Street, Southern Industrial Area

Tel: (061) 370 700 - Fax: (061) 370 707

10-12 Nickel Street
Prosperita, Windhoek
Tel: (061) 370 770
Fax: (061) 370 777

Main Road
Oshakati
Tel: (065) 222 447
Fax: (065) 222 309

Swakopmund, Ext 10
Eliaser Tuhadeleni Str.
Tel: (064) 463 806
Fax: (064) 463 858

www.tmpn.com - info@tmpn.com